


# COOLTREAT 680



## PRODUCT DESCRIPTION

COOLTREAT 680 is a synergistic blend of corrosion and deposit control agents for use in recirculating cooling water systems. COOLTREAT 680 inhibits ferrous and non-ferrous metal corrosion whilst also providing excellent deposit control.

	Units	BCI Specifications	Test Methods
Appearance	-	amber liquid	ASTM-E2680
Specific gravity	g/cm <sup>3</sup>	1.27	ASTM-D891
PH as supplied	-	13.0	ASTM-D1293
Freeze point	-	-10°C	-

## TREATMENT AND DOSAGE REQUIREMENTS

Dosage rate and application requirements will be specified for each individual system and will be dependent upon water quality and system operating parameters.

COOLTREAT 680 may be fed through normal dosage equipment or directly from the drum.

## PRODUCT BENEFITS

Non-polluting, contains no heavy metals or nitrites.

Inhibits corrosion of all metals.

Prevents deposition of hardness salts.

Passivates active corrosion cells.

pH control not required.

Gradually removes existing corrosion debris.

## DISCLAIMER

Any sale by BCI, its subsidiaries and affiliates ( each a "seller" ), is made exclusively under seller's standard conditions of sale ( available upon request ) unless agreed. Otherwise in writing and signed on behalf of the seller. While the information contained herein is given in good faith, SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED. Each customer must determine the suitability of seller concerning a possible use of any product, service or design is intended, or should be construed to grant any license under any patent or other intellectual property right.

الصناعات الكيمائية الأساسية  
BASIC CHEMICAL INDUSTRIES

### HEAD OFFICE

P.O Box 1053, Dammam 31431, Saudi Arabia  
T: +966 13 821 7777 F: +966 13 847 26 48  
Email: Sales@bci.com.sa



### الفرع الرئيسي

ص.ب ١٠٥٣، الدمام ٣١٤٣١، المملكة العربية السعودية  
ت: +٩٦٦ ١٣ ٨٢١ ٧٧٧٧ ف: +٩٦٦ ١٣ ٨٤٧ ٢٦٤٨  
البريد الإلكتروني: Sales@bci.com.sa